

ELEMENTAL ANALYSIS



RoHS Compliant

**MAX
260°C**

**MSL
1**



PRODUCT FAMILY	Material	CAS Number	% Normalize for BOM	Wt. Of BOM Item (g)	% by Wt (Comp. Item)	mg/unit	% by Wt Of Unit 18.40	ppm
742C16								
Alumina Ceramic	Al2O3	1344-28-1	0.848	0.01560	100.00%	15.6032	84.80%	848000
					100.00%	15.6032		
Conductor Thick Film	Ag	7440-22-4	0.026	0.00048	99.00%	0.4736	2.57%	25740
	Pd	7440-05-3			1.00%	0.0048	0.03%	260
					100.00%	0.4784		
Resistor Thick Film	RuO2	12036-10-1	0.011	0.00020	30.00%	0.0607	0.33%	3300
	PbO	1317-36-8			10.00%	0.0202	0.11%	1100
	SiO2 (silicon dioxide)	14808-60-7			30.00%	0.0607	0.33%	3300
	B2O3	1303-86-2			30.00%	0.0607	0.33%	3300
					100.00%	0.2024		
Notch Conductor Thick Film	Ag	7440-22-4	0.038	0.00070	100.00%	0.6992	3.80%	38000
					100.00%	0.6992		
Overcoat 1	PbO	1317-36-8	0.015	0.00028	14.00%	0.0386	0.21%	2100
	SiO2 (silicon dioxide)	14808-60-7			43.00%	0.1187	0.65%	6450
	B2O3	1303-86-2			43.00%	0.1187	0.65%	6450
					100.00%	0.2760		
Overcoat 2	PbO	1317-36-8	0.019	0.00035	14.00%	0.0489	0.27%	2660
	SiO2 (silicon dioxide)	14808-60-7			43.00%	0.1503	0.82%	8170
	B2O3	1303-86-2			43.00%	0.1503	0.82%	8170
					100.00%	0.3496		
Marking	PbO	1317-36-8	0.001	0.00002	14.00%	0.0026	0.01%	140
	SiO2 (silicon dioxide)	14808-60-7			43.00%	0.0079	0.04%	430
	B2O3	1303-86-2			43.00%	0.0079	0.04%	430
					100.00%	0.0184		
Underplate	Ni	7440-02-0	0.025	0.00046	100.00%	0.4600	2.50%	25000
					100.00%	0.4600		
Finish Plate	Sn	7440-31-5	0.017	0.00031	100.00%	0.3128	1.70%	17000
					100.00%	0.3128		
			Sum	0.01840	100.00%	0.3128		
			Part Weight	0.01840				
		Totals:		0.01840		18.40	100.00%	1000000

RoHS exemption claimed for lead in glass of electronic component